

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		highest near3 priority with (data or stream or or frame\$3 or (IP near3 packet\$3) or signal\$5) and ((change \$3 or adjust\$5) near3 priorit\$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 13:57
		highest near3 priority with (data or stream or or frame\$3 or (IP near3 packet\$3) or signaling) and ((change \$3 or adjust\$5) near3 priorit\$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 13:55
		highest near3 priority with (data or stream or or frame\$3 (IP near3 packet\$3) or signaling) and ((change or adjust\$5) near3 priorit\$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 13:54
		assign\$7 near3 (highest and lowest) near3 priority and network and and @ad<"20030618" and mac	US-PGPUB; USPAT	OR	ON	2008/11/26 15:29
L1	1	(dscp and qos and umts and dch). clm.	US-PGPUB	OR	ON	2009/06/05 12:03
S1	15	classif\$6 with data with stream\$3 and assign\$7 with priorit\$3 and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/11/26 12:55
S2	5	(classif\$6 with data with stream\$3) and (assign\$7 with priorit\$3 with stream) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/11/26 12:58
S3	62	borne near3 class\$3	US-PGPUB; USPAT	OR	ON	2008/11/26 14:59
S4	159	(highest and lowest) near3 priority and network and qos and radio and node and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/11/26 15:22
S5	127	(highest and lowest) near3 priority and network and qos and radio and node and @ad<"20030618" and mac	US-PGPUB; USPAT	OR	ON	2008/11/26 15:23
S6	3	assign\$7 near3 (highest and lowest) near3 priority and network and qos and radio and node and @ad<"20030618" and mac	US-PGPUB; USPAT	OR	ON	2008/11/26 15:24
S7	36	assign\$7 near3 (highest and lowest) near3 priority and network and @ad<"20030618" and mac	US-PGPUB; USPAT	OR	ON	2008/11/26 15:29
S8	129	highest near3 priority with ((data near3 stream) or (IP near3 packet \$3)) and (lower near3 priorit\$3)	US-PGPUB; USPAT	OR	ON	2008/12/04 17:16

S9	4	highest near3 priority with ((data near3 stream) or (IP near3 packet \$3) or signaling) and (lower near3 priorit\$3) and value\$3 near3 (base \$3 or depend\$3 or accord\$7) near3 priority	US-PGPUB; USPAT	OR	ON	2008/12/04 17:17
S10	2	highest near3 priority with ((data near3 stream) or (IP near3 packet \$3) or signaling) and (lower near3 priorit\$3) and value\$3 near3 (base \$3 or depend\$3 or accord\$7) near3 priority and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/04 17:18
S11	1012	(highest near3 priority) with (data or stream or frame\$3 or (IP near3 packet\$3) or signal\$5) and ((change \$3 or adjust\$5) near3 priorit\$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 13:57
S12	1033	(highest near3 priority) with (data or stream or frame\$3 or (IP near3 packet\$3) or signal\$5) and ((change \$3 or adjust\$5 or balance\$3) near3 priorit\$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 14:03
S13	1157	(highest near3 priority) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or messag\$3) and ((change\$3 or adjust\$5 or balance\$3) near3 priorit\$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 14:05
S14	249	(value\$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message\$3) with mapping\$3 with node\$3	US-PGPUB; USPAT	OR	ON	2008/12/05 14:10
S15	249	(value\$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message \$3) with mapping\$3 with node\$3	US-PGPUB; USPAT	OR	ON	2008/12/05 14:11
S16	0	status with reset with (ack\$7 or (reset near3 ack\$7)) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message \$3) with mapping\$3 with node\$3	US-PGPUB; USPAT	OR	ON	2008/12/05 14:13
S17	40	status with reset with (ack\$7 or (reset near3 ack\$7)) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message \$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 14:13
S18	0	S11 and S14	US-PGPUB; USPAT	OR	ON	2008/12/05 14:14
S19	0	(S17 and S11) or (S17 and S14)	US-PGPUB; USPAT	OR	ON	2008/12/05 14:14

S20	75	status with reset with (ack\$7 or (reset near3 ack\$7)) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 14:15
S21	40	(S17 and S11) or (S17 and S20)	US-PGPUB; USPAT	OR	ON	2008/12/05 14:16
S22	40	(S17 and S20)	US-PGPUB; USPAT	OR	ON	2008/12/05 14:16
S23	0	(value\$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message\$3) with mapping\$3 with node\$3 and (increas\$5 near3 priorit\$3) with ( IP near3 packet\$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 14:22
S24	1	(increas\$5 near3 priorit\$3) with ( IP near3 packet\$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 14:22
S25	0	status with reset with (ack\$7 or (reset near3 ack\$7)) with (IP near3 packet\$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 14:30
S26	0	status with reset with (ack\$7 or (reset near3 ack\$7)) with (IP\$3 near3 packet\$3) and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 14:30
S27	2314	(value\$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message \$3) with (corresp\$7 bas\$5 or base \$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with mapping\$3	US-PGPUB; USPAT	OR	ON	2008/12/05 14:34
S28	45	(chang\$3 or incre\$3 or decreas\$3) near3 (value\$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message \$3) with (corresp\$7 bas\$5 or base \$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with mapping\$3	US-PGPUB; USPAT	OR	ON	2008/12/05 14:37

S29	20	(chang\$3 or incre\$3 or decreas\$3) near3 (value\$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message\$3) with (corresp\$7 bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with mapping\$3 and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 14:38
S30	0	(chang\$3 or incre\$3 or decreas\$3) near3 (value\$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message\$3) with (corresp\$7 bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with mapping\$3 and @ad<"20030618" and "370".cls.	US-PGPUB; USPAT	OR	ON	2008/12/05 14:42
S31	0	"702".cls. and S29	US-PGPUB; USPAT	OR	ON	2008/12/05 14:42
S32	0	370/229,230,230.1.ccls. and S29	US-PGPUB; USPAT	OR	ON	2008/12/05 14:44
S33	57	(chang\$3 or incre\$3 or decreas\$3 or making or creat\$3) near3 (value\$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message\$3) same (corresp\$7 bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with mapping\$3 and @ad<"20030618"	US-PGPUB; USPAT	OR	ON	2008/12/05 14:45
S34	4634	(chang\$3 or incre\$3 or decreas\$3 or making or creat\$3) near3 (value\$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message\$3) same (corresp\$7 bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand\$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with mapping\$3 and @ad<"20030618" 370/229,230,230.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/05 14:45

S35	1	(chang\$3 or incre\$3 or decreas\$3 or making or creat\$3) near3 (value \$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message\$3) same (corresp\$7 bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with mapping \$3 and @ad<"20030618" and 370/229,230,230.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/05 14:46
S36	1	(chang\$3 or incre\$3 or decreas\$3 or making or creat\$3) near3 (value \$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message\$3) same (corresp\$7 bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with (mapping \$3 or routing near3 table) and @ad<"20030618" and 370/229,230,230.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/05 14:50
S37	1	(chang\$3 or incre\$3 or decreas\$3 or making or creat\$3) near3 (value \$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message\$3) same (corresp\$7 bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with (mapping \$3 or (routing)) and @ad<"20030618" and 370/229,230,230.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/05 14:53
S38	0	(chang\$3 or incre\$3 or decreas\$3 or making or creat\$3) near3 (value \$3 or flag\$3) with (data or stream\$3 or frame\$3 or (IP near3 packet\$3) or signal\$5 or message\$3) same (corresp\$7 bas\$5 or base\$on or based\$on or according or depend\$5 or ((found\$3 or depend\$3 or stand \$3 or form\$3 or hinge\$3 or place\$3 or rest\$3) near3 on)) with (mapping \$3 or routing near3 table) and @ad<"20030618" and 455/403,422.1,450,452.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/05 14:54
S39	1	((sheng near3 liu) or (baijun near3 zhao) or (jun near3 hu)).in. and (diffeserv).clm.	US-PGPUB; USPAT	OR	ON	2008/12/08 07:51

**6/ 5/ 2009 12:03:38 PM**

**C:\ Documents and Settings\ fng\ My Documents\ EAST\ Workspaces\ 10561057.w sp**